Tork Advanced Handtuch Lagenfalzung



Artikel: 290264

System: H3 – Handtuch System (Classic)

Lagen: 2 Farbe: Weiß

Breite entfaltet: 24.8 cm Länge entfaltet: 31 cm Breite gefaltet: 24.8 cm Länge gefaltet: 10 cm

Bedruckt: Nein Geprägt: Ja

Produkteigenschaften

- •Zuverlässiges, bekanntes System
- •Erfüllt Ihre grundlegenden Anforderungen
- •Gute 2-lagige Qualität

Versanddaten

Verbrauchseinheit:

EAN: 7322540176957

Stück: 120

Material: Banderole Höhe: 100 mm Breite: 100 mm Länge: 248 mm Volumen: 2.5 dm3 Nettogewicht: 382 g Bruttogewicht: 389 g Transporteinheit:

EAN: 7322540177008

Stück: 2400

Verbrauchseinheiten: 20

Material: Carton Höhe: 262 mm Breite: 401 mm Länge: 596 mm Volumen: 62.6 dm3 Nettogewicht: 7.64 kg Bruttogewicht: 8.32 kg

Umweltschutz

Content

Recycled fibres, Chemicals

Material

Recycled fibresRecovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material. Bleaching of fibresBleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for

bleaching ECF (elementary chlorine free(where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view . The used functional chemicals are:Wetstrength agentDry strength agentDye = if colouredFixing agentsFluorescent whitening agentGlue = if usedThe process chemicals are:AntipitchProtection agentYankee coatingDefoamerDispersing agents and surfactantspH and charge controlRetention aidsBroke treatment chemicalsDrainage aid

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label = EcolabelThis product does not have any ecolabel.

Date of issue 2007-11-06

Revision date 2009-07-23

Production

This product is produced at Kostheim mill, Germany, and certified according to ISO 9001:2000, ISO 14001 and EMAS.

Destruction

This product is mainly used for personal hygiene and can be collected together with household waste.